

Introduction to R

- None

Matrix algebra

- Matrix multiplication:

$$\mathbf{AB} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \end{bmatrix} \begin{bmatrix} b_{11} & b_{12} \\ b_{21} & b_{22} \\ b_{31} & b_{32} \end{bmatrix} = \begin{bmatrix} a_{11}b_{11} + a_{12}b_{21} + a_{13}b_{31} & a_{11}b_{12} + a_{12}b_{22} + a_{13}b_{32} \\ a_{21}b_{11} + a_{22}b_{21} + a_{23}b_{31} & a_{21}b_{12} + a_{22}b_{22} + a_{23}b_{32} \end{bmatrix}$$

- Inverse: For $\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{bmatrix}$, $\mathbf{A}^{-1} = \frac{1}{a_{11}a_{22} - a_{12}a_{21}} \begin{bmatrix} a_{22} & -a_{12} \\ -a_{21} & a_{11} \end{bmatrix}$
- Trace: $\text{tr}(\mathbf{A}) = \sum_{i=1}^p a_{ii} = a_{11} + a_{22} + \dots + a_{pp}$
- Determinant of 2×2 : $\begin{vmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{vmatrix} = a_{11}a_{22} - a_{12}a_{21}$
- Eigenvalues: Roots of the polynomial equation $|\mathbf{A} - \lambda \mathbf{I}| = 0$ where \mathbf{I} is an identity matrix
- Eigenvectors: Each eigenvalue of \mathbf{A} has a corresponding nonzero vector \mathbf{b} that satisfies $\mathbf{Ab} = \lambda \mathbf{b}$
- For eigenvalues λ_i of \mathbf{A} : $\text{tr}(\mathbf{A}) = \sum_{i=1}^p \lambda_i$ and $|\mathbf{A}| = \prod_{i=1}^p \lambda_i = \lambda_1 \lambda_2 \dots \lambda_p$
- Quadratic formula: The roots of the equation $ax^2 + bx + c = 0$ are $\frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
- Vector length: $\sqrt{\sum_{i=1}^p a_i^2}$
- Positive definite matrices have all eigenvalues greater than 0 and positive semidefinite matrices are the same but with at least one eigenvalue equal to 0

Data, distributions, and correlation

- $\rho_{ij} = \frac{\sigma_{ij}}{\sqrt{\sigma_{ii}\sigma_{jj}}} = \frac{\text{Cov}(x_i, x_j)}{\sqrt{\text{Var}(x_i)\text{Var}(x_j)}}$
- $\mu = E(\mathbf{x}) = \begin{bmatrix} E(x_1) \\ \vdots \\ E(x_p) \end{bmatrix} = \begin{bmatrix} \mu_1 \\ \vdots \\ \mu_p \end{bmatrix}$
- $\Sigma = \text{Cov}(\mathbf{x}) = E[(\mathbf{x} - \mu)(\mathbf{x} - \mu)'] = \begin{bmatrix} \sigma_{11} & \sigma_{12} & \dots & \sigma_{1p} \\ \sigma_{21} & \sigma_{22} & \dots & \sigma_{2p} \\ \vdots & \vdots & \ddots & \vdots \\ \sigma_{p1} & \sigma_{p2} & \dots & \sigma_{pp} \end{bmatrix}$
- $\Sigma = E(\mathbf{xx}') - \mu\mu'$

- $\mathbf{P} = \text{Corr}(\mathbf{x}) = \begin{bmatrix} 1 & \rho_{12} & \cdots & \rho_{1p} \\ \rho_{21} & 1 & \cdots & \rho_{2p} \\ \vdots & \vdots & \ddots & \vdots \\ \rho_{p1} & \rho_{p2} & \cdots & 1 \end{bmatrix}$

- Multivariate normal distribution, $\mathbf{x} \sim N_p(\boldsymbol{\mu}, \boldsymbol{\Sigma})$: $f(\mathbf{x} | \boldsymbol{\mu}, \boldsymbol{\Sigma}) = \frac{1}{(2\pi)^{p/2} |\boldsymbol{\Sigma}|^{1/2}} e^{-\frac{1}{2}[(\mathbf{x}-\boldsymbol{\mu})' \boldsymbol{\Sigma}^{-1}(\mathbf{x}-\boldsymbol{\mu})]}$ for $-\infty < x_i < \infty$,

$i=1, \dots, p$, and $|\boldsymbol{\Sigma}| > 0$

- $\hat{\boldsymbol{\mu}} = \frac{1}{N} \sum_{r=1}^N \mathbf{x}_r = \frac{1}{N} (\mathbf{x}_1 + \mathbf{x}_2 + \dots + \mathbf{x}_N)$

- $\hat{\boldsymbol{\Sigma}} = \frac{1}{N-1} \sum_{r=1}^N (\mathbf{x}_r - \hat{\boldsymbol{\mu}})(\mathbf{x}_r - \hat{\boldsymbol{\mu}})'$

- $\hat{\sigma}_{ij} = \text{Cov}(x_i, x_j) = \frac{1}{N-1} \sum_{r=1}^N (x_{ri} - \bar{x}_i)(x_{rj} - \bar{x}_j)$

- $r_{ij} = \text{Corr}(x_i, x_j) = \frac{\hat{\sigma}_{ij}}{\sqrt{\hat{\sigma}_{ii}\hat{\sigma}_{jj}}} = \frac{\frac{1}{N-1} \sum_{r=1}^N (x_{ri} - \bar{x}_i)(x_{rj} - \bar{x}_j)}{\sqrt{\left[\frac{1}{N-1} \sum_{r=1}^N (x_{ri} - \bar{x}_i)^2 \right] \left[\frac{1}{N-1} \sum_{r=1}^N (x_{rj} - \bar{x}_j)^2 \right]}} = \frac{\sum_{r=1}^N (x_{ri} - \bar{x}_i)(x_{rj} - \bar{x}_j)}{\sqrt{\left[\sum_{r=1}^N (x_{ri} - \bar{x}_i)^2 \right] \left[\sum_{r=1}^N (x_{rj} - \bar{x}_j)^2 \right]}}$

- $\mathbf{R} = \begin{bmatrix} 1 & r_{12} & \cdots & r_{1p} \\ r_{21} & 1 & \cdots & r_{2p} \\ \vdots & \vdots & \ddots & \vdots \\ r_{p1} & r_{p2} & \cdots & 1 \end{bmatrix}$

- $z_{rj} = \frac{x_{rj} - \hat{\mu}_j}{\sqrt{\hat{\sigma}_{jj}}}$

Graphics

- None

PCA

- $y_j = \mathbf{a}'_j(\mathbf{x} - \boldsymbol{\mu})$ for $j = 1, \dots, p$
- Total variance: $\text{tr}(\boldsymbol{\Sigma}) = \sum_{i=1}^p \sigma_{ii} = \sigma_{11} + \sigma_{22} + \dots + \sigma_{pp}$
- $\hat{y}_j = \hat{\mathbf{a}}'_j(\mathbf{x} - \hat{\boldsymbol{\mu}})$ for $j = 1, \dots, p$
- $\hat{y}_{rj}^* = \hat{\mathbf{a}}_j^* \mathbf{z}_r$ and $\hat{y}_{rj} = \hat{\mathbf{a}}'_j(\mathbf{x}_r - \hat{\boldsymbol{\mu}})$ for $j = 1, \dots, p$ and $r = 1, \dots, N$

FA

- $x_j = \mu_j + \lambda_{j1}f_1 + \lambda_{j2}f_2 + \dots + \lambda_{jm}f_m + \eta_j$ for $j = 1, \dots, p$
- $\tilde{x}_j = \lambda_{j1}f_1 + \lambda_{j2}f_2 + \dots + \lambda_{jm}f_m + \eta_j$ for $j = 1, \dots, p$; $\tilde{\mathbf{x}} = \underset{p \times 1}{\mathbf{\Lambda}} \underset{p \times m \ m \times 1}{\mathbf{f}} + \underset{p \times 1}{\boldsymbol{\eta}}$
- $z_j = \lambda_{j1}f_1 + \lambda_{j2}f_2 + \dots + \lambda_{jm}f_m + \eta_j$ for $j = 1, \dots, p$; $\mathbf{z} = \underset{p \times 1}{\mathbf{\Lambda}} \underset{p \times m \ m \times 1}{\mathbf{f}} + \underset{p \times 1}{\boldsymbol{\eta}}$
- $\text{Var}(ay_1 + by_2) = a^2\text{Var}(y_1) + b^2\text{Var}(y_2) + 2ab\text{Cov}(y_1, y_2)$

- $\Sigma = \Lambda\Lambda' + \Psi$; $\text{Var}(x_j) = \sum_{k=1}^m \lambda_{jk}^2 + \psi_j$ and $\text{Cov}(x_j, x_{j'}) = \sum_{k=1}^m \lambda_{jk}\lambda_{j'k}$
- With standardized variables, $\mathbf{P} = \Lambda\Lambda' + \Psi$, $\sum_{k=1}^m \lambda_{jk}^2 + \psi_j = 1$, and $\text{Corr}(z_j, f_k) = \lambda_{jk}$
- LRT: $A = (N-1 - (2p+4m+5)/6) \log \left(\frac{|\hat{\Lambda}\hat{\Lambda}' + \hat{\Psi}|}{|[(N-1)/N]\hat{\Sigma}|} \right)$ can be approximated by $\chi^2_{[(p-m)^2 - p - m]/2}$
- AIC: $-2\log(L(\tilde{\mathbf{x}} | \hat{\Lambda}, \hat{\Psi})) + 2(\text{degrees of freedom for model})$
- Orthogonal matrix: Individual columns within a matrix are orthogonal to each other
- $\mathbf{B} = \mathbf{\Lambda} \mathbf{T}$
 $p \times m \quad p \times m \quad m \times m$
- $V = \frac{1}{p^2} \sum_{q=1}^m \left(p \sum_{j=1}^p \frac{b_{jq}^4}{h_j^4} - \left(\sum_{j=1}^p \frac{b_{jq}^2}{h_j^2} \right)^2 \right)$ where $h_j^2 = \sum_{k=1}^m \lambda_{jk}^2$
- Bartlett's method (a.k.a., weighted least-squares method): $\hat{\mathbf{f}}_r = (\hat{\Lambda}'\hat{\Psi}^{-1}\hat{\Lambda})^{-1} \hat{\Lambda}'\hat{\Psi}^{-1}\mathbf{z}_r$
- Thompson's method (a.k.a., regression method): $\hat{\mathbf{f}}_r = \hat{\Lambda}'(\hat{\Lambda}\hat{\Lambda}' + \hat{\Psi})^{-1}\mathbf{z}_r$

R functions – These functions are listed mostly in the order they were introduced in the notes

Introduction to R

Function	Description
<code>pnorm()</code>	Finds a cumulative probability from a univariate normal distribution
<code>qnorm()</code>	Finds a quantile from a univariate normal distribution
<code>ls()</code> and <code>objects()</code>	List items in R's database
<code>c()</code>	Combine items into a vector
<code>sd()</code>	Calculate a standard deviation
<code>var()</code>	Calculate a variance
<code>sqrt()</code>	Calculate a square root
<code>read.table(file = "c:\\chris\\datafile.txt", header = TRUE, sep = "")</code>	Read in a text data file with variable names in the first row and spaces separating the variable names and their values.
<code>read.csv(file = "c:\\chris\\datafile.csv")</code>	Read in a comma delimited data file.
<code>summary()</code>	Summarize information in a data frame or list
<code>head()</code>	Print the first few rows of a data frame
<code>write.table(x = set1, file = "C:\\out_file.csv", quote = FALSE, row.names = FALSE, sep=",")</code>	Save data in a data frame to a file. The data was in the data frame <code>set1</code> and it will be written as a comma delimited file named <code>out_file.csv</code> .
<code>plot(x = x, y = y)</code>	Plots <code>y</code> on the y-axis and <code>x</code> on the x-axis
<code>lm(formula = y ~ x, data = set1)</code>	Find the sample regression model with the response (dependent) variable <code>y</code> and explanatory (independent) variable <code>x</code> within <code>set1</code>
<code>names()</code>	Provide the names of items in a list
<code>class()</code>	State the class of an object
<code>dev.new(width = 6, height = 6, pointsize = 10)</code>	Opens a new graphics window that is 6"x6" with font size of 10
<code>segments()</code>	Draw a line segment on a plot
<code>curve()</code>	Plot a function of <code>x</code> , like $f(x) = x^2$
<code>expression()</code>	Can be used to put Greek letters and mathematical symbols on a plot
<code>axis()</code>	Allows for finer control of an <code>x</code> or <code>y</code> -axis on a plot
<code>methods()</code>	List the method or generic functions

Matrix algebra

Function	Description
<code>matrix(data = c(1, 2, 3, 4, 5, 6), nrow = 2, ncol = 3, byrow = TRUE)</code>	Create a matrix of size 2x3 by row
<code>t()</code>	Transpose a matrix
<code>A+B</code>	Matrix addition for matrices A and B
<code>A%*%B</code>	Matrix multiplication for A and B
<code>A*B</code>	Elementwise multiplication for A and B

<code>cbind()</code>	Combine elements by column
<code>solve(A)</code>	Find the inverse of A
<code>diag(A)</code>	Extract the diagonal elements of A
<code>sum(A)</code>	Sum the elements of A
<code>det(A)</code>	Determinant of A
<code>eigen(A)</code>	Find the eigenvalues and eigenvectors of A
<code>abline(h = y)</code>	Plots a horizontal line at <i>y</i> . A vertical line is plotted with the argument <i>v</i> .
<code>arrows()</code>	Draw an arrow on a plot

Data, distributions, and correlation

Function	Description
<code>cov2cor()</code>	Calculate a correlation matrix from a covariance matrix
<code>dmvnorm()</code>	$f(\mathbf{x})$ for a multivariate normal distribution; this is in the <code>mvtnorm</code> package
<code>seq()</code>	Create a sequence of numbers
<code>persp3d()</code>	3D surface plot; this function is in the <code>rgl</code> package
<code>contour()</code>	Contour plot
<code>cov()</code>	Calculate estimated covariance matrix
<code>cor()</code>	Calculate estimated correlation matrix
<code>colMeans()</code>	Find the means of each column in a matrix
<code>apply()</code>	Apply a function to every row or column of a matrix
<code>set.seed()</code>	Set a seed number
<code>rmvnorm()</code>	Simulate random vectors from a multivariate normal distribution; this function is in the <code>mvtnorm</code> package
<code>points()</code>	Add points to a plot
<code>scale()</code>	Standardize columns of data
<code>expand.grid()</code>	Create all possible combinations of items within separate vectors
<code>par()</code>	Graphics parameters; <code>pty = "s"</code> creates a square plot, <code>mfrow = c(2, 2)</code> creates a 2×2 matrix of plots

Graphics

Function	Description
<code>pairs()</code>	Side-by-side scatter plots
<code>scatterplotMatrix()</code>	Side-by-side scatter plots
<code>symbols()</code>	Bubble plot; <code>circles</code> argument specifies the third variable; <code>inches</code> argument controls the maximum size of the bubble
<code>identify()</code>	Interactively identifies points on a plot
<code>text()</code>	Puts text on a plot
<code>plot3d()</code>	3D scatter plot; this function is within the <code>rgl</code> package

<code>grid3d()</code>	Put gridlines on a plot created in the <code>rgl</code> package
<code>stars()</code>	Star plot
<code>parcoord()</code>	Parallel coordinate plot; this function is within the <code>MASS</code> package
<code>reshape()</code>	Changes a data frame from a wide to long format and vice versa
<code>histogram()</code>	Trellis histogram; this function is within the <code>lattice</code> package
<code>xyplot()</code>	Trellis scatter plot; this function is within the <code>lattice</code> package
<code>cloud()</code>	Trellis 3D scatter plot; this function is within the <code>lattice</code> package
<code>equal.count()</code>	Creates shingles for a trellis plot; this function is within the <code>lattice</code> package

PCA

Function	Description
<code>princomp()</code>	Performs PCA; <code>cor</code> argument specifies whether to use the covariance (<code>FALSE</code>) or correlation (<code>TRUE</code>) matrix
<code>summary()</code>	This function can be used to summarize the information with an object created by <code>princomp()</code> ; the argument values of <code>loadings = TRUE</code> and <code>cutoff = 0.0</code> will lead to the printing of all the values within the eigenvectors
<code>screeplot()</code>	Creates a scree plot; this can also be done with the <code>plot()</code> function
<code>predict()</code>	Computes PC scores when using an object created by <code>princomp()</code> ; see my programs for how to calculate the scores correctly

FA

Function	Description
<code>factanal()</code>	Performs FA; the <code>rotation = "varimax"</code> argument specifies the varimax rotation method; the <code>scores</code> argument can be used to specify the type of scores ("regression" or "Bartlett") to be calculated
<code>print()</code>	This function can be used to summarize the information with an object created by <code>factanal()</code> ; the argument value of <code>cutoff = 0.0</code> will lead to the printing of all common factor loadings